

Fifth Wheel

Autolube Liner



- Improves vehicle handling
- Guarantees constant lubrication of the fifth wheel
- Helps to reduce tyre wear and fuel consumption
- Keeps the fifth wheel clean, protected, free of impurities
- Realise a considerable saving on lubricating grease & labour
- Isolates fifth wheel from trailer
- Reduces risk of fire due to spilt lubricating grease

Overview

The self-lubricating plate for the fifth wheel results in a perfectly lubricated anchorage for your vehicle. Made of a high-density plastic material, this provides significant levels of resistance and durability. Our fifth wheel autolube liner removes the need to regularly lubricate the plate.

The plate helps to isolate the fifth wheel from the trailer avoiding the magnetic effect that the static loads produce, generated by the direct close contact of the metals.

The high density polyethylene used in the manufacturing of the liner gives maximum viscosity with minimum wear. High load capacity, slip coefficient and longevity are guaranteed.

The minimum life of our liners is typically around 250,000 miles. However, improved driving conditions can result in a considerably longer life of around 500,000 miles.

By replacing the need for lubricating grease, the plate also reduces the possibility of fire from displaced grease falling onto the hot exhaust or onto electronic components.

We supply plates for all variants of fifth wheels currently available on the market.

Part Codes

Clip-on / Adjustable

Part Code: BOW960-5200

Clip-on fifth wheel cover, for JOST 37C

Two “half-moon” covers

Part Code: BOW960-xxxx

Replace “xxxx” with:

- 5042 for JOST-37 CW A-6
- 5042.1 for JOST-37 CW A-4
- 5015 for JOST 40-42 W
- 5048.1 for GF 36-20 W
- 5044 for GF 36-22 W
- 5053 for Holland

Single-piece bolt-on

Part Code: BOW960-yyyy

Replace “yyyy” with:

- 5001 for JOST 36
- 5002 for Leciñena (old)
- 5003 for Leciñena (modern)
- 5004 for Fruehauf
- 5005 for JOST 30 Ilasa 3.5"
- 5006 for GF SK S 36-22
- 5007 for JOST 42
- 5007.1 for JOST 40/42 special
- 5008 for VBG 5000
- 5009 for Rockinger 600
- 5009.1 for Rockinger 610
- 5010 for JOST 37
- 5012 for JOST 38C 3.5" (old)
- 5012.1 for JOST 38C 3.5" (new)
- 5013 for York Big D 600
- 5014 for JOST 36 D Sheet
- 5016 for JOST R-12 Ilasa A,B,C 2"
- 5017 for VBG Fontaine SP / CI 150 3000 G50
- 5024 for Davies Magnet Type TJ 3A
- 5025 for Dayton Walther Trulak
- 5027 for GF SK-V 36-14.5
- 5031 for VBG MOD 65 SPL2
- 5032 for VBG VOSS-22
- 5032.1 for VBG VOSS-22 New
- 5036 for GF 38 Holland 3.5"
- 5037 for VBG SPL
- 5038 for GF VOLVO 14.5"
- 5039 for Dayton Walther
- 5043 for GF 200
- 5045 for GF 36-20
- 5045.1 for GF 36-20 Short
- 5047 for V Orlandi
- 5049 for Fontaine
- 5050 for Holland FW 3510
- 5051 for GF SK 38-36
- 5052 for JOST 50
- 5054 for Fontaine 3000 G-50

Additional Images

