


Fifth Wheel Autolube Liner

- Improves vehicle handling
- Guarantees constant lubrication of the fifth wheel
- Helps to reduce tyre wear and fuel consumption
- Keeps the fifth wheel clean, protected, free of impurities
- Realise a considerable saving on lubricating grease & labour
- Isolates fifth wheel from trailer
- Reduces risk of fire due to spilt lubricating grease



Overview

The self-lubricating plate for the fifth wheel results in a perfectly lubricated anchorage for your vehicle. Made of a high-density plastic material, this provides significant levels of resistance and durability. Our fifth wheel autolube liner removes the need to regularly lubricate the plate.

The plate helps to isolate the fifth wheel from the trailer avoiding the magnetic effect that the static loads produce, generated by the direct close contact of the metals.

The high density polyethylene used in the manufacturing of the liner gives maximum viscosity with minimum wear. High load capacity, slip coefficient and longevity are guaranteed.

The minimum life of our liners is typically around 250,000 miles. However, improved driving conditions can result in a considerably longer life of around 500,000 miles.

By replacing the need for lubricating grease, the plate also reduces the possibility of fire from displaced grease falling onto the hot exhaust or onto electronic components.

We supply plates for all variants of fifth wheels currently available on the market.

Part Codes

Clip-on / Adjustable

Part Code: BOW960-5200

Clip-on fifth wheel cover for JOST 37C

Two "half-moon" covers

Part Code: BOW960-XXXX

Replace **XXXX** with:

- **5042** for JOST-37 CW A-6
- **5042.1** for JOST-37 CW A-4
- **5015** for JOST 40-42 W
- **5048.1** for GF 36-20 W
- **5044** for GF 36-22 W
- **5053** for Holland

Single-piece bolt-on

Part Code: BOW960-YYYY

Replace **YYYY** with:

- **5001** for JOST 36
- **5002** for Leciñena (old)
- **5003** for Leciñena (modern)
- **5004** for Fruehauf
- **5005** for JOST 30 llasa 3.5"
- **5006** for GF SK S 36-22
- **5007** for JOST 42
- **5007.1** for JOST 40/42 special
- **5008** for VBG 5000
- **5009** for Rockinger 600
- **5009.1** for Rockinger 610
- **5010** for JOST 37
- **5012** for JOST 38C 3.5" (old)
- **5012.1** for JOST 38C 3.5" (new)
- **5013** for York Big D 600
- **5014** for JOST 36 D Sheet
- **5016** for JOST R-12 llasa A,B,C 2"
- **5017** for VBG Fontaine SP / CI 150 3000 G50
- **5024** for Davies Magnet Type TJ 3A
- **5025** for Dayton Walther Trulak
- **5027** for GF SK-V 36-14.5
- **5031** for VBG MOD 65 SPL2
- **5032** for VBG VOSS-22
- **5032.1** for VBG VOSS-22 New
- **5036** for GF 38 Holland 3.5"
- **5037** for VBG SPL
- **5038** for GF VOLVO 14.5"
- **5039** for Dayton Walther
- **5043** for GF 200
- **5045** for GF 36-20
- **5045.1** for GF 36-20 Short
- **5047** for V Orlandi
- **5049** for Fontaine
- **5050** for Holland FW 3510
- **5051** for GF SK 38-36
- **5052** for JOST 50
- **5054** for Fontaine 3000 G-50

Additional Images

